

101 763143

RECEIVED
CENTRAL FAX CENTER

NOV 02 2005

SCHERING-PLOUGH CORPORATION
LAW DEPARTMENT
2000 GALLOPING HILL ROAD
K-6-1, MAIL STOP
KENILWORTH, NEW JERSEY 07033
(908) 298-4000

Certificate

NOV 03 2005

of Correction

FACSIMILE TRANSMITTAL SHEET

To
USPTO

FAX NUMBER:
571-273-8300

FROM:
Robert J. Lipka

PHONE NUMBER:
908-298-5056

TOTAL NO. OF PAGES INCLUDING COVER

DATE

6

November 2, 2005

CONFIDENTIALITY NOTE: This sheet and/or the document(s) accompanying it contain information belonging to Schering-Plough Corporation and/or its affiliates which is confidential and/or legally privileged. The information is intended only for the use of the individual or entity named above. If you have received this fax in error, please immediately notify us by telephone. If there is a problem with this transmission please call Pia Paras-Sanjurjo at 908-298-3955.

PLEASE HAND DELIVER

In re Application of US Patent Application No. 11/763,143

For Patent For: "USE OF MOMETASONE FOR TREATING AIRWAY PASSAGES AND LUNG DISEASES"

Filing Date: January 22, 2004

Our Ref.: AL0425KQ9 US

Applicant: Sequeira, J. *et. al.*

Dear Examiner :

Transmitted herewith are:

- Fax Cover Sheet - 1 page
- Certificate of Transmission PTO/SB/97 - 1 page
- Petition to Correct Errors on Issued Patent under C.F.R. under 1.322 - 2 pages
- Certificate of Correction PTO/SB/44 - 1 page (in duplicate)

PHONE: (908)298-3955

FAX: (908)298-5388

NOV 07 2005

Docket Number: AL0425KQ9
Application No: 10/763,143
Filing Date: 01/22/2004
First Inventor: SEQUEIRA, Joel A

PTO/SB/97 (09-04)
Approved for use through 07/31/2006, OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE


Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Certificate of Transmission under 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office

on November 2, 2005

Date



Signature

ROBERT J. LIPKA

Typed or printed name of person signing Certificate

42807

Registration Number, if applicable

908-298-5058

Telephone Number

Note: Each paper must have its own certificate of transmission, or this certificate must identify each submitted paper.

Transmitted herewith:

Fax Cover Sheet - 1 page

Certificate of Transmission PTO/SB/97 - 1 page

Petition to Correct Errors on Issued Patent under C.F.R. 1.322 - 2 pages

Certificate of Correction PTO/SB/44 - 1 page (in duplicate)

This collection of information is required by 37 CFR 1.8. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1.8 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

**RECEIVED
CENTRAL FAX CENTER**

NOV 02 2005

PATENT CASE: AL0425KQ9

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

-----X
In re Patent of: Sequeira et al.

For Patent For: USE OF MOMETASONE FOR
TREATING AIRWAY PASSAGES
AND LUNG DISEASES

U.S. Patent: 6,956,030 *B2*

Issued: October 18, 2005
-----X

Schering-Plough Corporation
Kenilworth, New Jersey 07033-0530

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER C.F.R. 1.322

Dear Sir:

This is a request for correction of the above-identified U.S. patent in view of errors which apparently occurred through the fault of the U.S.P.T.O. during the printing of the patent.

The corrections requested are listed on the accompanying certificate of correction. Should some other format be necessary, please contact the undersigned attorney.

The correction to claim 3 changes memetasone to mometasone. It respectfully is submitted that this error occurred through no fault of the applicants.


NOV 07 2005

A Certificate of Correction (Form PTO-SB/44) listing the above-requested corrections is attached in duplicate.

While patentees urge that the correction to the claims should be considered the result of USPTO error and believe that no fee is due, the Commissioner is hereby authorized to charge any necessary fees to Deposit Account 19-0365.

Respectfully submitted,

SCHERING-PLOUGH CORPORATION


Robert J. Lipka
Reg. No. 42,807
(908) 298-5056

TRIM MARGIN 3 mm. BEYOND LEFT END OF LINE. (MARGIN ON RIGHT IS CORRECT WITH A4 PAPER)

AL0425KQ9

CUT 2 mm. BELOW THIS LINE BEFORE MAILING TWO COPIES OF THE PRINTED CERTIFICATE TO THE USPTO.

Staple
here
Only!

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,956,030 B2

Page 1 of 1

DATED : October 18, 2005

INVENTOR(S) : Joel A. Sequeira, Fanciss M. Cuss, Keith B. Nolop, Imtiaz A. Chaudry,
Nagamani Nagabhusan, James E. Patrick, Mitchell Cayen

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In column 17, line 13, insert the word "mometasone" in place of "memetasone."

TRIM MARGIN 3 mm. BEYOND LEFT END OF LINE. (MARGIN ON RIGHT IS CORRECT WITH A4 PAPER)

AL0425KQ9

CUT 2 mm. BELOW THIS LINE BEFORE MAILING TWO COPIES OF THE PRINTED CERTIFICATE TO THE USPTO.

Staple
Here
Only!

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,956,030 B2

Page 1 of 1

DATED: October 18, 2005

INVENTOR(S) : Joel A. Sequeira, Fanciss M. Cuss, Keith B. Nolo, Imtiaz A. Chaudry,
Nagamani Nagabhusan, James E. Patrick, Mitchell Cayen

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In column 17, line 13, insert the word "mometasone" in place of "memetasone."